

Supplementary data

Forest Restoration in an Abandoned Seasonally Dry Tropical Forest in the Mae Klong Watershed, Western Thailand

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown.

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
1	<i>Adenanthera pavonina</i>	Adenpa	Fabaceae	32	2.000	10.846	0.024	0.354	0.958	T	IR	CS
2	<i>Aglaiia lawii</i>	Aglala	Meliaceae	2	0.125	8.196	0.001	0.011	0.061	T	-	CS
3	<i>Ailanthus triphyssa</i>	Ailatr	Simaroubaceae	1	0.063	4.595	0.000	0.001	0.026	T	-	LS
4	<i>Albizia chinensis</i>	Albich	Fabaceae	10	0.625	16.845	0.029	0.414	0.647	T	-	PS
5	<i>Albizia lebbek</i>	Albile	Fabaceae	2	0.125	21.550	0.005	0.066	0.116	T	-	LS
6	<i>Albizia lucidior</i>	Albilu	Fabaceae	274	17.125	12.040	0.266	3.852	9.594	T	IJ	LS
7	<i>Albizia odoratissima</i>	Albiod	Fabaceae	45	2.813	13.384	0.056	0.806	1.861	T	IR	LS
8	<i>Albizia procera</i>	Albipr	Fabaceae	4	0.250	33.518	0.029	0.417	0.515	T	-	LS
9	<i>Alstonia rupestris</i>	Alstru	Apocynaceae	6	0.375	9.857	0.003	0.046	0.166	S	-	LS
10	<i>Alstonia scholaris</i>	Alstsc	Apocynaceae	15	0.938	9.059	0.007	0.106	0.462	T	-	PS
11	<i>Annona</i> sp.	Annosp	Annonaceae	14	0.875	7.053	0.004	0.056	0.388	T	IJ	-
12	<i>Anogeissus acuminata</i>	Anogac	Combretaceae	84	5.250	9.854	0.065	0.939	2.801	T	IR	CS
13	<i>Antiaris toxicaria</i>	Antito	Moraceae	72	4.500	8.845	0.033	0.481	2.118	T	IR	LS
14	<i>Antidesma acidum</i>	Antiac	Phyllanthaceae	7	0.438	5.325	0.001	0.014	0.173	S/ST	IJ	LS
15	<i>Antidesma bunius</i>	Antibu	Phyllanthaceae	55	3.438	6.159	0.012	0.173	1.303	ST	IR	LS
16	<i>Antidesma sootepense</i>	Antiso	Phyllanthaceae	25	1.563	7.372	0.012	0.167	0.713	S/ST	IR	LS
17	<i>Aphanamixis polystachya</i>	Aphapo	Meliaceae	21	1.313	14.709	0.034	0.489	0.937	T	IR	CS
18	<i>Aporosa nigricans</i>	Aporni	Phyllanthaceae	58	3.625	7.185	0.017	0.247	1.552	S/T	IJ	LS
19	<i>Aporosa villosa</i>	Aporvi	Phyllanthaceae	184	11.500	7.217	0.053	0.769	4.586	S/ST	IR	LS
20	<i>Artabotrys siamensis</i>	Artasi	Annonaceae	1	0.063	9.517	0.000	0.006	0.031	C	-	PS
21	<i>Artocarpus gomezianus</i>	Artogo	Moraceae	2	0.125	5.873	0.000	0.005	0.040	T	-	LS
22	<i>Artocarpus lacucha</i>	Artola	Moraceae	195	12.188	9.096	0.094	1.358	5.821	T	IR	LS
23	<i>Artocarpus rigidus</i>	Artori	Moraceae	80	5.000	10.505	0.053	0.773	2.680	T	IJ	LS
24	<i>Baccaurea ramiflora</i>	Baccra	Phyllanthaceae	92	5.750	7.036	0.025	0.358	2.216	T	IJ	LS
25	<i>Barringtonia pendula</i>	Barrpe	Lecythidaceae	4	0.250	11.117	0.003	0.039	0.124	T	-	LS
26	<i>Barringtonia racemosa</i>	Barra	Lecythidaceae	3	0.188	7.194	0.001	0.011	0.071	S/ST	-	LS
27	<i>Bauhinia</i> sp.	Bauhsp	Fabaceae	24	1.500	6.874	0.006	0.092	0.628	T	IJ	PS
28	<i>Beilschmiedia gammieana</i>	Beilga	Lauraceae	75	4.688	7.399	0.025	0.367	2.107	T	IR	LS

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown (cont.).

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
29	<i>Berrya mollis</i>	Berrmo	Malvaceae	2	0.125	6.987	0.000	0.007	0.057	T	-	PS
30	<i>Bischofia javanica</i>	Biscja	Phyllanthaceae	118	7.375	11.319	0.088	1.271	3.470	T	IR	PS
31	<i>Bombax anceps</i>	Bomban	Bombacaceae	14	0.875	9.363	0.007	0.105	0.423	T	-	PS
32	<i>Bridelia ovata</i>	Bridov	Phyllanthaceae	1	0.063	6.080	0.000	0.003	0.027	ST	-	PS
33	<i>Bridelia retusa</i>	Bridre	Phyllanthaceae	2	0.125	9.120	0.001	0.015	0.050	T	-	PS
34	<i>Callerya atropurpurea</i>	Callat	Fabaceae	497	31.063	8.321	0.196	2.833	11.773	T	IR	LS
35	<i>Camellia</i> sp.	Camesp	Theaceae	1	0.063	5.730	0.000	0.002	0.027	-	-	CS
36	<i>Canarium subulatum</i>	Canasu	Burseraceae	15	0.938	10.523	0.010	0.140	0.511	T	IR	CS
37	<i>Canthium glabrum</i>	Cantgl	Rubiaceae	2	0.125	8.594	0.001	0.011	0.046	ST	-	PS
38	<i>Canthium parvifolium</i>	Cantpa	Rubiaceae	7	0.438	5.734	0.001	0.017	0.147	S	IR	PS
39	<i>Carallia brachiata</i>	Carabr	Rhizophoraceae	2	0.125	5.936	0.000	0.005	0.054	T	-	CS
40	<i>Careya arborea</i>	Carear	Lecythidaceae	8	0.500	10.604	0.006	0.088	0.272	T	-	CS
41	<i>Casearia grewiifolia</i>	Casegr	Salicaceae	4	0.250	7.440	0.001	0.016	0.115	T	-	CS
42	<i>Cassia fistula</i>	Cassfi	Fabaceae	29	1.813	12.574	0.028	0.411	1.013	T	IR	CS
43	<i>Castanopsis argyrophylla</i>	Castar	Fagaceae	2	0.125	36.717	0.018	0.264	0.313	T	-	CS
44	<i>Catunaregam tomentosa</i>	Catuto	Rubiaceae	1	0.063	6.334	0.000	0.003	0.028	S/ST	-	PS
45	<i>Chukrasia tabularis</i>	Chukta	Meliaceae	4	0.250	7.576	0.001	0.017	0.115	T	-	CS
46	<i>Cinnamomum iners</i>	Cinnin	Lauraceae	14	0.875	9.326	0.006	0.091	0.394	T	-	LS
47	<i>Clausena wallichii</i>	Clauwa	Rutaceae	2	0.125	6.064	0.000	0.005	0.055	S	-	PS
48	<i>Colona flagrocarpa</i>	Colofl	Malvaceae	14	0.875	7.480	0.008	0.114	0.446	T	-	PS
49	<i>Colubrina asiatica</i>	Coluas	Rhamnaceae	1	0.063	9.358	0.000	0.006	0.031	S	-	PS
50	<i>Cordia dichotoma</i>	Corddi	Boraginaceae	163	10.188	12.179	0.138	2.000	5.457	T	IR	PS
51	<i>Cratoxylum cochinchinense</i>	Cratco	Hypericaceae	1	0.063	4.515	0.000	0.001	0.026	T	-	LS
52	<i>Cratoxylum formosum</i>	Cratfo	Hypericaceae	2	0.125	4.727	0.000	0.003	0.053	T	-	LS
53	<i>Croton persimilis</i>	Crotro	Euphorbiaceae	281	17.563	7.191	0.080	1.158	6.440	S/ST	IJ	PS
54	<i>Cynometra iripa</i>	Cynoir	Fabaceae	3	0.188	8.754	0.001	0.017	0.062	ST	-	LS
55	<i>Dalbergia cana</i>	Dalbca	Fabaceae	40	2.500	7.778	0.014	0.202	1.120	T	IR	LS
56	<i>Dalbergia lakhonensis</i>	Dalbla	Fabaceae	3	0.188	8.722	0.001	0.017	0.091	T	-	CS
57	<i>Dalbergia volubilis</i>	Dalbvo	Fabaceae	114	7.125	7.567	0.037	0.542	2.988	C	IR	PS
58	<i>Dillenia obovata</i>	Dillob	Dilleniaceae	5	0.313	8.060	0.002	0.024	0.134	T	-	LS
59	<i>Dillenia parviflora</i>	Dillpa	Dilleniaceae	19	1.188	10.606	0.012	0.173	0.571	T	-	LS
60	<i>Dimocarpus longan</i>	Dimolo	Sapindaceae	16	1.000	9.740	0.012	0.181	0.533	T	IR	LS

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown (cont.).

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
61	<i>Diospyros ehretioides</i>	Dioseh	Ebenaceae	1	0.063	10.823	0.001	0.008	0.033	T	-	CS
62	<i>Diospyros montana</i>	Diosmo	Ebenaceae	15	0.938	6.381	0.003	0.045	0.401	T	-	CS
63	<i>Diospyros pilosanthera</i>	Diospi	Ebenaceae	7	0.438	7.585	0.002	0.032	0.206	T	-	CS
64	<i>Diospyros variegata</i>	Diosva	Ebenaceae	1	0.063	5.761	0.000	0.002	0.027	T	-	CS
65	<i>Dipterocarpus alatus</i>	Diptal	Dipterocarpaceae	80	5.000	13.632	0.300	4.335	6.170	T	IR	CS
66	<i>Dipterocarpus turbinatus</i>	Dipttu	Dipterocarpaceae	3	0.188	6.822	0.001	0.010	0.084	T	-	CS
67	<i>Duabanga grandiflora</i>	Duabgr	Lythraceae	81	5.063	34.816	0.547	7.923	9.625	T	IR	LS
68	<i>Elaeocarpus lanceifolius</i>	Elaela	Elaeocarpaceae	108	6.750	9.680	0.061	0.886	3.169	T	IR	LS
69	<i>Ellipanthus tomentosus</i>	Ellito	Connaraceae	3	0.188	6.653	0.001	0.009	0.069	ST	-	LS
70	<i>Erythrina subumbrans</i>	Erytsu	Fabaceae	12	0.750	28.247	0.077	1.115	1.397	T	IR	PS
71	<i>Ficus auriculata</i>	Ficuaa	Moraceae	164	10.250	10.697	0.106	1.538	4.185	S/T	IR	PS
72	<i>Ficus callosa</i>	Ficuca	Moraceae	3	0.188	21.656	0.008	0.111	0.171	T	-	PS
73	<i>Ficus chartacea</i>	Ficuch	Moraceae	86	5.375	12.594	0.082	1.191	3.001	S	IR	PS
74	<i>Ficus fistulosa</i>	Ficufi	Moraceae	12	0.750	13.995	0.015	0.212	0.494	ST	IR	PS
75	<i>Ficus hispida</i>	Ficuhi	Moraceae	151	9.438	12.311	0.132	1.911	5.186	ST	IR	PS
76	<i>Ficus racemosa</i>	Ficura	Moraceae	129	8.063	14.387	0.175	2.533	5.263	T	IR	PS
77	<i>Ficus semicordata</i>	Ficuse	Moraceae	1	0.063	21.709	0.002	0.033	0.058	ST	-	PS
78	<i>Ficus</i> sp.	Ficusp	Moraceae	153	9.563	12.150	0.127	1.844	4.506	T	IR	PS
79	<i>Ficus variegata</i>	Ficuva	Moraceae	15	0.938	13.000	0.014	0.203	0.546	T	-	PS
80	<i>Flacourtia indica</i>	Flacin	Salicaceae	23	1.438	6.453	0.005	0.072	0.641	ST	IJ	LS
81	<i>Garcinia cowa</i>	Garcco	Guttiferae	18	1.125	6.858	0.005	0.067	0.469	ST	NE	NS
82	<i>Gardenia sootepensis</i>	Gardso	Rubiaceae	1	0.063	9.199	0.000	0.006	0.031	ST	-	LS
83	<i>Garuga pinnata</i>	Garupi	Burseraceae	321	20.063	10.938	0.238	3.441	10.345	T	IR	CS
84	<i>Glochidion sphaerogynum</i>	Glocsp	Phyllanthaceae	2	0.125	10.711	0.001	0.019	0.068	S/ST	-	PS
85	<i>Gmelina arborea</i>	Gmelar	Lamiaceae	68	4.250	20.580	0.223	3.221	4.644	T	IR	LS
86	<i>Goniothalamus laoticus</i>	Gonila	Annonaceae	9	0.563	6.706	0.002	0.033	0.241	T	IR	LS
87	<i>Holarrhena pubescens</i>	Holapu	Apocynaceae	13	0.813	6.756	0.003	0.043	0.307	S/T	-	PS
88	<i>Homalium tomentosum</i>	Homato	Salicaceae	2	0.125	8.053	0.001	0.009	0.044	T	-	CS
89	<i>Hopea odorata</i>	Hopeod	Dipterocarpaceae	15	0.938	7.837	0.005	0.076	0.447	T	-	CS
90	<i>Horsfieldia amygdalina</i>	Horsam	Myristicaceae	186	11.625	10.027	0.112	1.623	5.303	T	IJ	LS
91	<i>Hymenodictyon orixense</i>	Hymeor	Rubiaceae	2	0.125	11.873	0.002	0.025	0.074	T	-	CS
92	<i>Ilex umbellulata</i>	Ilexum	Aquifoliaceae	9	0.563	7.853	0.003	0.043	0.237	S/ST	-	CS

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown (cont.).

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
93	<i>Ixora</i> sp.	Ixorsp	Rubiaceae	7	0.438	9.095	0.003	0.045	0.189	ST	IR	LS
94	<i>Lagerstroemia calyculata</i>	Lageca	Lythraceae	3	0.188	5.454	0.000	0.006	0.081	T	-	CS
95	<i>Lagerstroemia duperreana</i>	Lagedu	Lythraceae	8	0.500	9.832	0.005	0.067	0.193	T	-	CS
96	<i>Lagerstroemia floribunda</i>	Lagefl	Lythraceae	37	2.313	6.953	0.010	0.147	0.961	T	IR	CS
97	<i>Lagerstroemia loudonii</i>	Lagelo	Lythraceae	40	2.500	8.559	0.017	0.248	0.950	T	IR	CS
98	<i>Lagerstroemia speciosa</i>	Lagesp	Lythraceae	19	1.188	8.239	0.007	0.107	0.476	T	-	CS
99	<i>Lagerstroemia tomentosa</i>	Lageto	Lythraceae	666	41.625	7.974	0.280	4.050	16.768	T	IR	CS
100	<i>Lagerstroemia venusta</i>	Lageve	Lythraceae	61	3.813	9.634	0.037	0.533	1.912	T	IR	CS
101	<i>Lannea coromandelica</i>	Lannco	Anacardiaceae	3	0.188	10.483	0.002	0.027	0.101	T	-	CS
102	<i>Lepisanthes rubiginosa</i>	Lepiru	Sapindaceae	24	1.500	5.642	0.004	0.058	0.594	S/ST	IJ	CS
103	<i>Lithocarpus annamensis</i>	Lithan	Fagaceae	46	2.875	19.548	0.133	1.918	2.768	T	IR	CS
104	<i>Litsea glutinosa</i>	Litsgl	Lauraceae	49	3.063	18.694	0.104	1.498	2.624	T	IR	PS
105	<i>Litsea grandis</i>	Litsgr	Lauraceae	166	10.375	17.527	0.319	4.609	8.183	T	IR	PS
106	<i>Magnolia baillonii</i>	Magnba	Magnoliaceae	1	0.063	11.205	0.001	0.009	0.034	T	-	CS
107	<i>Mallotus philippensis</i>	Mallph	Euphorbiaceae	89	5.563	7.682	0.031	0.448	2.476	S/T	IR	PS
108	<i>Mangifera caloneura</i>	Mangca	Anacardiaceae	10	0.625	16.664	0.041	0.587	0.820	T	-	CS
109	<i>Mansonia gagei</i>	Mansga	Malvaceae	3	0.188	15.162	0.004	0.062	0.108	T	-	LS
110	<i>Markhamia stipulata</i> var. <i>Stipulata</i>	Markst	Bignoniaceae	464	29.000	8.187	0.169	2.449	11.911	T	IR	LS
111	<i>Microcos paniculata</i>	Micrpa	Malvaceae	65	4.063	7.333	0.021	0.301	1.665	T	IR	PS
112	<i>Microcos tomentosa</i>	Micrto	Malvaceae	1	0.063	5.188	0.000	0.002	0.027	T	-	PS
113	<i>Millettia brandisiana</i>	Millbr	Fabaceae	81	5.063	7.103	0.023	0.327	2.186	T	IJ	LS
114	<i>Millettia leucantha</i>	Millle	Fabaceae	50	3.125	7.473	0.015	0.217	1.295	T	IJ	LS
115	<i>Mitragyna rotundifolia</i>	Mitro	Rubiaceae	258	16.125	7.041	0.080	1.153	6.700	T	IR	LS
116	<i>Mitrephora tomentosa</i>	Mitro	Annonaceae	22	1.375	7.186	0.006	0.090	0.577	T	IJ	LS
117	<i>Monoon viride</i>	Monovi	Annonaceae	95	5.938	6.471	0.021	0.308	2.456	T	IJ	LS
118	<i>Morus macroura</i>	Moruma	Moraceae	42	2.625	10.531	0.032	0.465	1.303	T	IR	PS
119	<i>Nephelium hypoleucum</i>	Nepphy	Sapindaceae	71	4.438	8.088	0.029	0.413	1.997	T	IJ	LS
120	<i>Oleaceae</i> sp.	Oleasp	Oleaceae	11	0.688	11.922	0.009	0.124	0.381	-	-	PS
121	<i>Oroxylum indicum</i>	Oroxin	Bignoniaceae	103	6.438	12.792	0.107	1.547	3.894	ST	IR	LS
122	<i>Persea declinata</i>	Persde	Lauraceae	132	8.250	7.076	0.035	0.504	3.294	T	IJ	LS
123	<i>Phoebe paniculata</i>	Phoepe	Lauraceae	19	1.188	6.979	0.005	0.075	0.487	T	IJ	LS
124	<i>Phyllanthus emblica</i>	Phylem	Phyllanthaceae	9	0.563	13.921	0.013	0.192	0.415	ST/T	-	LS

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown (cont.).

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
125	<i>Picrasma javanica</i>	PicrJa	Simaroubaceae	29	1.813	11.437	0.027	0.385	1.059	T	IR	LS
126	<i>Premna tomentosa</i>	Premto	Lamiaceae	4	0.250	17.475	0.006	0.094	0.193	T	-	LS
127	<i>Protium serratum</i>	Protse	Burseraceae	104	6.500	8.656	0.069	1.004	3.289	T	IR	CS
128	<i>Pterocarpus macrocarpus</i>	Pterma	Fabaceae	51	3.188	12.439	0.104	1.503	2.722	T	IR	CS
129	<i>Pterocymbium tinctorium</i>	Pterti	Malvaceae	3	0.188	8.658	0.001	0.019	0.093	T	-	LS
130	<i>Pterospermum acerifolium</i>	Pterac	Malvaceae	173	10.813	8.424	0.068	0.985	4.501	T	IR	LS
131	<i>Pterospermum acerifolium</i>	Pterdi	Malvaceae	3	0.188	8.424	0.006	0.083	0.157	T	IR	LS
132	<i>Pterospermum semisagittatum</i>	Pterse	Malvaceae	3	0.188	6.207	0.001	0.008	0.082	T	-	PS
133	<i>Radermachera hainanensis</i>	Radeha	Bignoniaceae	1	0.063	15.820	0.001	0.018	0.043	T	-	LS
134	<i>Radermachera ignea</i>	Radeig	Bignoniaceae	35	2.188	16.243	0.055	0.798	1.592	ST	IR	LS
135	<i>Rhus javanica</i>	RhusJa	Anacardiaceae	135	8.438	6.393	0.054	0.787	3.766	ST	IR	PS
136	<i>Rhus succedanea</i>	Rhussu	Anacardiaceae	5	0.313	5.876	0.001	0.013	0.136	T	-	PS
137	<i>Salix tetrasperma</i>	Salite	Salicaceae	28	1.750	24.436	0.090	1.307	1.784	T	-	CS
138	<i>Sandoricum koetjape</i>	Sandko	Meliaceae	2	0.125	14.388	0.002	0.031	0.080	T	-	CS
139	<i>Sarcosperma arboreum</i>	Sarcar	Sapotaceae	2	0.125	9.040	0.001	0.013	0.063	T	-	LS
140	<i>Schefflera bengalensis</i>	Schebe	Araliaceae	2	0.125	6.700	0.000	0.006	0.041	ES	-	LS
141	<i>Schleichera oleosa</i>	Schlol	Sapindaceae	13	0.813	7.194	0.004	0.052	0.374	T	IJ	CS
142	<i>Semecarpus cochinchinensis</i>	Semeco	Anacardiaceae	95	5.938	10.411	0.060	0.869	2.989	T	IR	LS
143	<i>Senna garrettiana</i>	Sennga	Fabaceae	1	0.063	22.600	0.003	0.036	0.061	T	-	LS
144	<i>Senna spectabilis</i>	Sennsp	Fabaceae	4	0.250	12.716	0.004	0.059	0.143	ExT	-	LS
145	<i>Senna timoriensis</i>	Sennti	Fabaceae	24	1.500	10.071	0.014	0.201	0.694	ST	IR	PS
146	<i>Siphonodon celastrineus</i>	Siphce	Celastraceae	97	6.063	6.338	0.020	0.294	2.579	T	IJ	CS
147	<i>Spondias pinnata</i>	Sponpi	Anacardiaceae	25	1.563	12.303	0.023	0.332	0.936	T	-	CS
148	<i>Sterculia foetida</i>	Sterfo	Malvaceae	2	0.125	14.356	0.002	0.032	0.082	T	-	PS
149	<i>Sterculia macrophylla</i>	Sterma	Malvaceae	71	4.438	11.903	0.057	0.823	2.363	T	IR	PS
150	<i>Sterculia pexa</i>	Sterpe	Malvaceae	12	0.750	21.321	0.035	0.509	0.791	T	-	PS
151	<i>Sterculia</i> sp.	Stersp	Malvaceae	4	0.250	5.228	0.001	0.008	0.064	T	IR	PS
152	<i>Stereospermum neuranthum</i>	Sterne	Bignoniaceae	309	19.313	8.079	0.122	1.772	8.307	T	IR	LS
153	<i>Streblus asper</i>	Streas	Moraceae	21	1.313	7.723	0.007	0.107	0.540	T	IR	LS
154	<i>Streblus ilicifolius</i>	Streil	Moraceae	84	5.250	6.019	0.016	0.238	1.682	T	IJ	LS
155	<i>Suregada multiflora</i>	Suremu	Euphorbiaceae	48	3.000	6.740	0.011	0.164	1.279	S/T	IJ	CS
156	<i>Symplocos racemosa</i>	Sympra	Symplocaceae	15	0.938	8.261	0.006	0.081	0.409	S/ST	-	PS

Table S1. List of species existed tree ≥ 4.5 cm DBH in 16-ha plot of MDF at Mae Klong Watershed Research Station. The total number of stem (TS), density (D, stems/ha), Mean DBH (cm), basal area (BA, m²/ha), relative basal area (RBA, %), important value index (IVI, %), DBH class form (DF), and successional habits (SH) and are shown (cont.).

No	Scientific name	Abbreviation	Family	TS	D	Mean DBH	BA	RBA	IVI	Habit	DF	SH
157	<i>Syzygium cumini</i>	Syzycu	Myrtaceae	60	3.750	12.089	0.100	1.453	2.807	T	IR	CS
158	<i>Syzygium siamense</i>	Syzysi	Myrtaceae	13	0.813	9.748	0.007	0.101	0.379	T	-	CS
159	<i>Tectona grandis</i>	Tectgr	Lamiaceae	10	0.625	23.011	0.030	0.436	0.669	T	-	CS
160	<i>Terminalia bellirica</i>	Termbe	Combretaceae	136	8.500	8.709	0.058	0.839	3.743	T	IR	CS
161	<i>Terminalia calamansanay</i>	Termca	Combretaceae	28	1.750	7.957	0.010	0.144	0.750	T	IR	CS
162	<i>Terminalia chebula</i>	Termch	Combretaceae	1	0.063	6.494	0.000	0.003	0.028	T	-	CS
163	<i>Terminalia triptera</i>	Termtr	Combretaceae	58	3.625	10.096	0.041	0.591	1.767	T	IR	CS
164	<i>Tetrameles nudiflora</i>	Tetrnu	Tetramelaceae	1	0.063	25.910	0.003	0.048	0.072	T	-	CS
165	<i>Toona ciliata</i>	Toonci	Meliaceae	320	20.000	10.376	0.218	3.151	9.311	T	IR	CS
166	<i>Trema orientalis</i>	Tremor	Cannabaceae	10	0.625	7.003	0.003	0.038	0.257	ST	IR	PS
167	<i>Trevesia palmata</i>	Trevpa	Araliaceae	187	11.688	6.816	0.048	0.695	3.709	ST	IR	PS
168	<i>Trichosanthes tricuspidata</i>	Trictr	Cucurbitaceae	1	0.063	4.934	0.000	0.002	0.026	HC	-	PS
169	<i>Turpinia pomifera</i>	Turppo	Staphyleaceae	8	0.500	5.761	0.001	0.020	0.160	T	IJ	CS
170	<i>Vitex canescens</i>	Viteca	Lamiaceae	16	1.000	10.852	0.012	0.169	0.493	T	IJ	CS
171	<i>Vitex glabrata</i>	Vitegl	Lamiaceae	1	0.063	6.812	0.000	0.003	0.028	T	-	CS
172	<i>Vitex peduncularis</i>	Vitepe	Lamiaceae	34	2.125	9.021	0.023	0.338	1.150	T	IR	CS
173	<i>Vitex scabra</i>	Vitesc	Lamiaceae	2	0.125	8.356	0.001	0.010	0.059	ST/T	-	CS
174	<i>Wrightia arborea</i>	Wrigar	Apocynaceae	35	2.188	7.117	0.009	0.134	0.871	ST	IJ	PS
175	<i>Xerospermum noronhianum</i>	Xerono	Sapindaceae	110	6.875	6.440	0.024	0.344	2.360	T	IJ	LS
176	<i>Xylia xylocarpa var. kerrii</i>	Xylixy	Fabaceae	106	6.625	10.865	0.103	1.485	3.661	T	IR	CS
				9665	604.063		6.910	100	300		94	

Remarks: Es=epiphytic shrub, ExT=exotic, ScanS=scandent shrub, T=tree, ST=shrubby tree, IJ=inverted J-shape form, IR=irregular form, PS=pioneer species, LS=late succession species, CS=climax species